



TRADEGE

FOREIGN TRADE COMPANY

SAFETY DATA SHEET
Aluminium Sulphate (Solid)

Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Aluminium Sulphate (Solid)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial use.

1.3. Details of the supplier of the safety data sheet

Supplier Tradege Foreign Trade Company
Adalet Mah. Manas Blv. No: 39
İç kapı No: 2511 Bayraklı/İZMİR
Tel: +90 5064509208
Faks: +90212 567 23 80

1.4. Emergency telephone number

Tel: +90506 450 9208

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Eye dam. 1 - H318.
Environment	Not classified.

The Full Text for all Hazard Statements are Displayed in Section 16.

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008



Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

Precautionary Statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



TRADEGE
FOREIGN TRADE COMPANY

SAFETY DATA SHEET **Aluminium Sulphate (Solid)**

Commission Regulation (EU) 2020/878 of 18 June 2020.

2.3. Other hazards

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Name	EC No.	CAS No.	Content	Classification (EC 1272/2008)
Aluminium sulfate	233-135-0	10043-01-3	> % 99	Eye dam. 1 - H318

The Full Text for all Hazard Statements are Displayed in Section 16.

Composition Comments

- The data shown are in accordance with the latest EC Directives.
- Workplace exposure limits are shown in section 8.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

Never give liquid to an unconscious person. Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing.
Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

Eye contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing.
Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Irritation at the top of the respiratory system

Ingestion

Irritant. It will damage the stomach and intestines.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

Serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Extinguish with foam, carbon dioxide or dry powder.



TRADEGE

FOREIGN TRADE COMPANY

SAFETY DATA SHEET
Aluminium Sulphate (Solid)

Commission Regulation (EU) 2020/878 of 18 June 2020.

Unsuitable extinguishing media

No data available.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards

Form explosive mixtures with air.

Specific hazards

In case of fire, toxic gases may be formed. Carbon monoxide (CO).

5.3. Advice for firefighters

Special Fire Fighting Procedures

Move container from fire area if it can be done without risk. Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Face mask, protective gloves and safety helmet.

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Use acid-resistant clothing and protective material. Do not smoke, use open fire or other sources of ignition. Avoid breathing dust. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation.

6.2. Environmental precautions

Avoid discharge into water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Cover and place the containers elsewhere. Clean the area with water.

6.4. Reference to other sections

For personal protection, see section 8.

See section 11 for additional information on health hazards.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Do not eat, drink or smoke when using the product.

Mechanical ventilation or local exhaust ventilation is required.

7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed in a well-ventilated place. Store on acid-resistant flat surface in a dry, cool and well-ventilated place. Carefully open used boxes.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
Aluminium sulphate	TLV	---	3 mg/m ³	---	---	---



TRADEGE
FOREIGN TRADE COMPANY

SAFETY DATA SHEET **Aluminium Sulphate (Solid)**

Commission Regulation (EU) 2020/878 of 18 June 2020.

8.2. Exposure controls

Protective equipment



Process conditions

Provide eyewash station.

Engineering measures

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of dust/mist

Respiratory equipment

In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P2).

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

If risk of splashing, wear safety goggles or face shield.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Skin protection

Wear apron or protective clothing in case of contact.

Environmental Exposure Controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Solid
Colour	Colorless
Odour	Odourless.
Odour threshold	No information available
pH	2,8-3,6 (2% aqueous solution)
Melting point	650 C
Initial boiling point and range	No information available
Flash point	No information available
Evaporation rate	No information available
Upper/lower flammability or explosive limits	No information available
Flammability (solid, gas)	No information available
Auto-ignition temperature	No information available
Vapour pressure	No information available
Vapor Density	No information available
Relative density	No information available
Solubility(ies) (water)	1000 g / L @ 20 C - OECD test method - completely soluble.



TRADEGE

FOREIGN TRADE COMPANY

SAFETY DATA SHEET
Aluminium Sulphate (Solid)

Commission Regulation (EU) 2020/878 of 18 June 2020.

Density	1,7 g/ml
Coefficient of dispersion: n-octanol / water	-2
Decomposition Temperature	>400 C
Viscosity	No information available
Oxidising properties	No information available
Explosive properties	No information available
Particle characteristics	No information available

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Will not polymerise.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Materials To Avoid

Incompatible with strong bases, oxidizing agents, chlorite, hypochlorite, sulfides and other coagulants.

10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute Toxic

LD50 6207 mg/kg (rat)

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - In Vitro/ In Vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.



TRADEGE

FOREIGN TRADE COMPANY

SAFETY DATA SHEET
Aluminium Sulphate (Solid)

Commission Regulation (EU) 2020/878 of 18 June 2020.

Reproductive Toxicity

Based on available data the classification criteria are not met.

STOT - Single exposure

Based on available data the classification criteria are not met.

STOT - Repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

LC50; 96 hour; Gambus affinis: 37 mg/l

12.2. Persistence and degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility

No data available.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

The product does not contain any endocrine disrupting substance.

12.7. Other adverse effects

No information required.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Dispose of on site landfill area.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.



TRADEGE

FOREIGN TRADE COMPANY

SAFETY DATA SHEET
Aluminium Sulphate (Solid)

Commission Regulation (EU) 2020/878 of 18 June 2020.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Notes

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

EU Legislation

Commission Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Regulation (EU) 2020/878 of 18 June 2020.

Authorisations (SI 2020 No. 1577 Annex XIV) and REACH 1907/2006, Annex XIV

No specific authorisations are known for this product.

Restrictions (SI 2020 No. 1577 Annex XVII) and REACH 1907/2006, Annex XVII

No specific restrictions on use are known for this product.

Seveso Directive - Control of major accident hazards

Not relevant.

15.2. Chemical Safety Assessment

No chemical safety assessment has been implemented.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IATA: International Air Transport Association.
ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
CAS: Chemical Abstracts Service.
ATE: Acute Toxicity Estimate.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
EC₅₀: 50% of maximal Effective Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.



TRADEGE

FOREIGN TRADE COMPANY

SAFETY DATA SHEET
Aluminium Sulphate (Solid)

Commission Regulation (EU) 2020/878 of 18 June 2020.

Revision Comments

SDS has been revised under the current regulations.

Hazard Statements In Full

H318 Causes serious eye damage.

Classification reason

Eye dam. 1 - H318 :Calculated method

Information Sources

This SDS is prepared based on the information received from the product owner.

Provided information from supplier Tradege Foreign Trade Company.

ECHA – www.echa.europa.eu

Issued By

Büşra TARAKCI / CRAD

gb@crad.com.tr

Issued Note

This SDS is prepared based on the information and documents received from product owner. CRAD or/and SDS author shall not be responsible for incorrect prepared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product owner.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.