



**TRADEGE**

FOREIGN TRADE COMPANY

**SAFETY DATA SHEET**  
**Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

<b>Product name</b>	<b>Poyaluminium chloride</b>
<b>CAS-No.</b>	1327-41-9
<b>EC No.</b>	215-477-2

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

<b>Identified uses</b>	Industrial use.
------------------------	-----------------

**1.3. Details of the supplier of the safety data sheet**

<b>Supplier</b>	Tradege Foreign Trade Company Adalet Mah. Manas Blv. No.23 Bayraklı / IZMIR / TURKEY Tel. : 0 506 450 9208
-----------------	---

**1.4. Emergency telephone number**

TRADEGE	: +90 506 450 9208
---------	--------------------

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

Physical and Chemical Hazards	Met. Corr. 1 - H290
Human Health Hazards	Eye dam. 1 - H318
Environment Hazards	Not classified.

The Full Text for all Hazard Statements are Displayed in Section 16.

**2.2. Label elements**

**Label In Accordance With (EC) No. 1272/2008**

**CAS No:** 1327-41-9



**Signal Word**

Danger

**Hazard Statements**

H290	May be corrosive to metals.
H318	Causes serious eye damage.

**Precautionary Statements**

P261	Avoid breathing dust.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.



**TRADEGE**  
FOREIGN TRADE COMPANY

## **SAFETY DATA SHEET** **Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

### **2.3. Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1. Substances**

<b>Product Name</b>	Polyaluminium chloride
<b>Chemical Formula</b>	Al(OH)Cl <sub>2</sub>
<b>Chemical Name</b>	Aluminum chloride, basic
<b>Content</b>	100 %
<b>CAS-No.</b>	1327-41-9
<b>EC No.</b>	215-477-2

#### **Composition Comments**

- The data shown are in accordance with the latest EC Directives.

## **SECTION 4: FIRST AID MEASURES**

### **4.1. Description of first aid measures**

#### **Inhalation**

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

#### **Ingestion**

Rinse mouth with water. Drink 1 or 2 glasses of water or milk. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

#### **Skin contact**

Remove affected person from source of contamination. Remove contaminated clothing.  
Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

#### **Eye contact**

Important! Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If possible use lukewarm water. Consult a physician. Do not rub the eyes, mechanical irritation. Continue rinsing eyes during transport to hospital.

### **4.2. Most important symptoms and effects, both acute and delayed**

Corrosive effects, May cause irreversible eye damage.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Extinguishing media**

Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **5.2. Special hazards arising from the substance or mixture**

Hydrogen chloride may be released when heating above the decomposition temperature.



**TRADEGE**

FOREIGN TRADE COMPANY

## **SAFETY DATA SHEET** **Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

### **5.3. Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.  
Fire fighters must wear fire resistant personnel protective equipment.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Refer to protective measures listed in section "Handling and storage". Wear protective suit and boots. If aerosols or mist are formed, use half mask with combination filter B/P2.

### **6.2. Environmental precautions**

Cover the drains to prevent the product from entering the environment. If the product contaminates rivers and lakes or drains inform respective authorities. Restrict the spread of the spillage by using inert absorbent material (sand, gravel).

### **6.3. Methods and material for containment and cleaning up**

Remove larger spills using a vacuum truck. Dilute residues with water and neutralize with lime or limestone powder. Must be disposed of in accordance with local and national regulations.

### **6.4. Reference to other sections**

For personal protection, see section 8.  
See section 11 for additional information on health hazards.  
For waste disposal, see section 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

- The work place and work methods shall be organized in such a way that direct contact with the product is prevented or minimized.
- Wear gloves in a suitable material such as PVC, Neoprene or Natural rubber.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also consider the specific local conditions under which the product is used, such as the danger of cuts, abrasion and the contact time.
- Tightly fitting safety goggles must be worn.
- Eye wash bottles or emergency eye-wash fountains in the workplace are recommended.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Storage**

- Keep away from incompatible products.
- Avoid freezing.
- Avoid high temperatures.

#### **Packaging material**

- Plastic (PE, PP, PVC)
- Fiberglass-reinforced polyester
- Epoxy-coated concrete
- Titanium
- Acidproof or rubber-coated steel

### **7.3. Specific end use(s)**

For further information see attached Exposure Scenario.

**SAFETY DATA SHEET**  
**Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.  
According to Regulation (EC) No 1907/2006, Annex II, as amended.  
According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

No occupational exposure limits.

**Derivation of DNEL(s)**

Target group	Exposure route	Effect time	Type of effect	Value
Workers	Inhalation	Long term	Systemic	16.4 mg/m <sup>3</sup>
Workers	Dermal	Long term	Systemic	4.6 mg/kg bw/day
General population	Inhalation	Long term	Systemic	4 mg/m <sup>3</sup>
General population	Dermal	Long term	Systemic	2.32 mg/kg bw/day
General population	Oral	Long term	Systemic	2.32 mg/kg bw/day

**PNEC(ler)**

Hedef	Değer
Fresh water	3.2 µg/L
marine water	0.32 µg/L
STP	300 mg/L
sediment (freshwater)	0.219 mg/kg
sediment (marine water)	21.9 µg/kg

**8.2. Exposure controls**

**Protective equipment**



**Process conditions**

Provide eyewash station.

**Engineering measures**

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

**Respiratory equipment**

In case of inadequate ventilation or risk of inhalation of dust, use half mask with dust filter P2.

**Hand protection**

For prolonged or repeated skin contact use suitable protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Glove material: PVC and neoprene gloves.

**Eye protection**

If risk of splashing, wear safety goggles or face shield (EN 166).



**TRADEGE**  
FOREIGN TRADE COMPANY

## SAFETY DATA SHEET Polyaluminium chloride

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

### Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### Skin protection

Wear apron or protective clothing in case of contact.

### Environmental Exposure Controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Colour	Yellow
Odour	No data available
Odour threshold	No data available
pH-Value	No data available
Melting/Freezing Point	< -90°C
Initial boiling point and range	75 - 175°C
Flash point	No flash point was observed until boiling up to about 110°C.
Evaporation rate	No data available
Upper/lower flammability or explosive limits	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	No data available
Vapor pressure @ 20 ° C	No data available
Vapor density	No data available
Relative density	1.36
Solubility	Miscible in water.
Partition coefficient: n-octanol / water	No data available
Density	1.36 g/cm <sup>3</sup> @20°C
Decomposition Temperature	No data available
Viscosity	No data available
Oxidative properties	Not oxidizing.
Explosive properties	Not explosive.
Particle characteristic	No data available

### 9.2. Other information

No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.



**TRADEGE**

FOREIGN TRADE COMPANY

**SAFETY DATA SHEET**  
**Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

**10.2. Chemical stability**

Explosive or self-reactive properties are not expected (depending on chemical structure).

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

Keep away incompatible materials. Avoid high temperatures. Avoid freezing.

**10.5. Incompatible materials**

Non acid-proof metals (such as aluminium, copper and iron). Bases. Unalloyed steel. Galvanized surfaces

**10.6. Hazardous decomposition products**

When heated above the decomposition temperature, hydrogen chloride may be released.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Based on available data the classification criteria are not met.

LD50, oral	>2000 mg/kg (rat)
LD50, dermal	>2000 mg/kg (rat)
LD50, inhalation	>20 mg/l (vapour) (dust/mist)

**Skin corrosion/irritation**

Based on available data the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye damage.

**Germ cell mutagenicity (In Vitro/ In Vivo)**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive Toxicity**

Based on available data the classification criteria are not met.

**Teratogenicity**

Based on available data the classification criteria are not met.

**STOT Specific target organ toxicity - single exposure**

Based on available data the classification criteria are not met.

**STOT Specific target organ toxicity - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

Based on available data the classification criteria are not met.



**TRADEGE**

FOREIGN TRADE COMPANY

## **SAFETY DATA SHEET** **Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

### **Human experience**

#### **Inhalation**

Symptoms: Cough and difficulties in breathing.

#### **Skin contact**

Symptoms: Effects of repeated or prolonged skin contacts may include: Dry skin, irritation.

#### **Eye contact**

Symptoms: Contact with eyes causes a smarting pain and a flood of tears. Risk of serious damage to eyes.

Remarks: The product may harm the cornea by mechanical action.

#### **Ingestion**

Symptoms: Ingestion may provoke the following symptoms: Nausea, Vomiting, irritation of mouth, oesophagus and stomach.

### **11.2. Information on other hazards**

This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1. Toxicity**

EC50 (48 h)	> 200 mg/l, Daphnia magna (OECD Guide 202, part 1, static)
EC50 (72 h)	14 mg/l, Selenastrum capricornutum (OECD Guide 201, static)
EC10 (72 h)	3.1 mg/l, Pseudokirchneriella subcapitata (OECD Guide 201, static)

### **12.2. Persistence and degradability**

#### **Biological degradability:**

No data available.

### **12.3. Bioaccumulative potential**

The product is not expected to bioaccumulate.

### **12.4. Mobility in soil**

#### **Mobility**

There is no data on the mobility of the product in soil.

### **12.5. Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6. Endocrine disrupting properties**

This product does not contain any known or suspected endocrine disruptors.

### **12.7. Other adverse effects**

May lower the pH of water and thus be harmful to aquatic organisms.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **General information**

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Dispose of on site landfill area.



## **SAFETY DATA SHEET** **Polyaluminium chloride**

Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

### **SECTION 14: TRANSPORT INFORMATION**

**General** Limited quantities derogation may be applicable to this product, please check transport documents.

#### **14.1. UN number or ID number**

<b>UN No. (ADR/RID/ADN)</b>	3264
<b>UN No. (IMDG)</b>	3264
<b>UN No. (ICAO)</b>	3264

#### **14.2. UN proper shipping name**

**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Polyaluminium chloride)

#### **14.3. Transport hazard class(es)**

<b>ADR/RID/ADN class</b>	8
<b>ADR/RID/ADN class</b>	Class 8: Corrosive substances.
<b>ADR Label No.</b>	8
<b>IMDG class</b>	8
<b>ICAO class/division</b>	8
<b>Transport labels</b>	



#### **14.4. Packing group**

<b>ADR/RID/ADN packing group</b>	III
<b>IMDG packing group</b>	III
<b>ICAO packing group</b>	III

#### **14.5. Environmental hazards**

**Environmentally Hazardous Substance/Marine Pollutant**  
No.

#### **14.6. Special precautions for user**

<b>EMS</b>	F-A, S-B
<b>ADR transport category</b>	3
<b>Emergency Action Code</b>	2X
<b>Hazard Identification No (ADR/RID)</b>	80
<b>Tunnel restriction code</b>	(E)

#### **14.7. Maritime transport in bulk according to IMO instrument**

No information required.

### **SECTION 15: REGULATORY INFORMATION**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU Legislation**

- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures.



**TRADEGE**

FOREIGN TRADE COMPANY

**SAFETY DATA SHEET**  
**Polyaluminium chloride**

**Commission Regulation (EU) 2020/878 of 18 June 2020.**

**According to Regulation (EC) No 1907/2006, Annex II, as amended.**

**According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.**

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
- Commission Regulation (EU) 2020/878 of 18 June 2020.

**Restrictions (Annex XVII Regulation 1907/2006)**

There are no known restrictions on the use of this product.

**Seveso Directive - Control of major accident hazards**

Not relevant.

**15.2. Chemical Safety Assessment**

Chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION**

**Abbreviations used in safety data sheet**

ADR: European Agreement on International Carriage of Dangerous Goods by Road.

ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.

RID: European Agreement on International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO-TI: Technical Specification for Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

TWA: Time weighted average

ATE: Estimated value of acute toxicity

EC No: European Community number

CAS: Chemical Theory Service.

LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).

LC50: Substance concentration causing 50% (half) death in the test animals group.

EC50: Effective Concentration of the substance causing the maximum of 50%.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Permanent, Very Biofriendly.

SEA: Classification, labeling, packaging regulation

DNEL: Derivative Inactive Level

PNEC: Estimated Unaffected Concentration

**Information Sources**

This SDS is written based on the information received from rawmaterial supplier.

European Chemicals Agency (ECHA)

**Revision Comments**

This is first issue.

**Hazard Statements In Full**

H290 May be corrosive to metals.

H318 Causes serious eye damage.

**Issued By**

Büşra TARAKCI/ CRAD

gbf@crad.com.tr Tel+90 216 3354600



**TRADEGE**

FOREIGN TRADE COMPANY

**SAFETY DATA SHEET**  
**Polyaluminium chloride**

**Commission Regulation (EU) 2020/878 of 18 June 2020.**

**According to Regulation (EC) No 1907/2006, Annex II, as amended.**

**According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.**

---

**Issued Note**

The certificate information is used exclusively for this SDS. No changes can be made to this SDS without the knowledge and approval of the certificate holder or the certificate information can not be used for another SDS. Otherwise, the certificate will assume no responsibility for the owner SDS.

This SDS is prepared based on the information and documents received from product owner. CRAD or/and SDS author shall not be responsible for incorrect prepared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product owner.

**Disclaimer**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.